

Wastewater Reuse Supports Paddlefish Project

Steven D. Mims, Ph.D.

Aquaculture Research Center
103 Athletic Road
Kentucky State University
Frankfort, Kentucky 40601 USA
steven.mims@kysu.edu

Summary:

Since 2006, a pilot project in Kentucky, USA, that uses wastewater effluent and decommissioned tanks at a water treatment plant has cultured over 70,000 phase II paddlefish. This project led to further research designed to monitor fish performance and water quality, and investigate the economic viability of paddlefish farming using the reuse technology. Paddlefish are now being monitored for potential contaminants to confirm their food safety.

Paddlefish, *Polyodon spathula*, is one of the most intriguing emerging species for aquaculture. Its ability to consume zooplankton by filter feeding, rapidly grow 2.5-4.0 kg/year and produce black roe for high-quality caviar has made it desirable for culture. Market surveys in the United States have demonstrated strong appeal for the caviar and boneless white meat of cultured paddlefish.

Internationally, paddlefish are also well received by consumers in Eastern European countries, including the Czech Republic, Hungary, Moldova, Romania, Russia and Ukraine, because of the similarity of their meat and caviar to those of sturgeon. In China, whole cooked paddlefish attract consumers at high-end restaurant in large cities.

Because of this demand, more reservoirs and ponds have become available for increasing production. In 2008, about 10 mt of meat were produced. Production is predicted to rise to 300-400 mt/year by 2012, with further industry growth then expected when the next generation of



Paddlefish grow quickly and yield both quality meat and caviar.

breeders are available.

In the U.S., the capture fishery for paddlefish is now strongly restricted, resulting in a declining supply. In Ukraine and other countries, paddlefish aquaculture has attracted a high level of public interest. In all countries, however, short supplies and high prices for seedstock are still the main factors limiting expansion of the paddlefish industry.

Research at KSU

Kentucky State University Aquaculture Research Center in Frankfort, Kentucky, USA, has been studying paddlefish as a food fish since the late 1980s. Initial research on phase II fingerling production was completed in ponds using a combination of zooplankton and prepared diets. However, bird predation has been a major factor in low survival. Bird netting eliminates the problem but is costly for commercial-size ponds.

Since 2006, a pilot project that uses wastewater effluent and unused or decommissioned tanks at a wastewater treatment plant has demonstrated the culture of over 70,000 phase II 200-g paddlefish in Kentucky. Survival has increased dramatically at the plant compared to pond culture because there is no bird predation. Live zooplankton, primarily daphnids, are a first food for fry harvested from clarifier tanks. Large volumes of effluent water provide excellent water quality.

Wastewater Reuse

Wastewater treatment plants are integral parts of every urban community in the United States, as well as Eastern Europe and China. With improved methods for processing wastewater, many municipalities are building newer, larger facilities and decommissioning the old ones, many of which have tanks and ponds that could be easily and economically adapted for fish culture.

In the U.S., many older plants could be renovated as fish hatcheries and save demolition costs, increase seedstock fish supplies, create jobs and generate revenue. In most cases, new facilities are built adjacent to old and could conveniently provide treated effluent for the hatcheries, provided Environmental Protection Agency water quality criteria are followed to ensure safety for humans, wildlife and aquatic life.

Paddlefish Project

The pilot project has led to a two-year research project funded by Kentucky Science and Technology Corp. and Kentucky Science and Engineering Foundation grants. Its objectives are to monitor fish growth and survival, and water quality in tanks with static or flow-through processed wastewater; to maximize public protection by biomonitoring fish grown at the facility for contaminants and to investigate the economic viability of an agribusiness based upon these technologies.



Treated wastewater from a treatment plant provides high-quality water for paddlefish culture.

The main resources used in the study are two circular 1,125-m³ digester tanks and a 135-m³ sludge thickener tank that are not used in daily operations. The tanks are equipped with air diffusers and surface aeration.

Ozone-disinfected wastewater is treated under National Pollution Discharge Elimination Systems (NPDES) guidelines in adherence to the Clean Water Act of 1972. NPDES monitors wastewater treatment plants for potential toxins. Historically, the Frankfort sewer plant, which receives domestic and light industrial wastes, has data that indicates no concern for toxic compounds, but a main purpose of the project is to verify if the environment is safe and could quantitatively satisfy potential end users' concerns.

Live *Daphnia* species zooplankton are the food source for phase I paddlefish up to 3.5 cm total length for the first 40 days. The zooplankton grow naturally in the four 1,500-m³ clarifiers. Typically, daphnids grow well in water with high bacteria content and alkalinity and hardness above 50 mg/L.

Since daphnids are sensitive to heavy metals such as

copper, high densities of daphnids associated with the wastewater would indicate good water quality. They are removed manually with plankton nets. The swimming of the daphnids disrupts the sludge blanket, causing total suspended solids to increase and often causing discharge permit violations.

The plant processes 22,500 m³/day of wastewater that is disinfected with ozone and released into the Kentucky River. Using the plant's infrastructure, processed water is supplied to the tanks and then returned to the head of the plant once more for treatment. The water is saturated with oxygen, and pH is 7.0 to 7.2. Total ammonia nitrogen values are below 1.0 mg/L, nitrite is below 0.1 m/L, and chloride is 10.0-15.0 mg/L.

Consumer Safety

Currently, paddlefish are being grown under control conditions to test if contaminants are detected in the tissue of the fish. Eight 2.5-m-diameter, 2-m-deep research tanks similar in proportion to the 13-m-diameter commercial tanks at the facility were stocked with paddlefish fry on May 1.

Four static tanks and four with flowing effluent water will hold the fish over a four-month period until they reach phase II at a length of about 35 cm. Paddlefish samples will be collected and tested for heavy metals and organochlorine compounds. This research is essential for consumer safety.



Phase I fish initially feed on zooplankton and then shift to a pelleted diet as they grow.

Aquaculture Solutions

We help to maximize your profit
...products and services with the
best cost/benefit performance

- We provide:
- larval diets • EPICORE
Epicore BioNetworks Inc.
 - probiotics •
 - artemia cysts •
 - equipment • NICOVITA
 - supplies •
 - chemicals • AQUATIC
ECO-SYSTEMS, INC.
 - ingredients •
 - software •
 - YSI service center •
 - prompt delivery • aqua & co
 - technical support •

AerO-Tube



AquaMats

MEGASUPPLY

HEADQUARTERS
USA (786) 221.5660 / Fax (786) 524.0208
sales@mega-supply.com
www.megasupplyusa.com



Now Certifying Best Practices For Responsible Aquaculture

- Community • Environment
- Food Safety • Traceability

ACC certifies responsible production practices and food safety at shrimp, tilapia and channel catfish farms; shrimp hatcheries and seafood processing plants around the world in a process certification based on the Global Aquaculture Alliance's Best Aquaculture Practices standards.

Program applicants can better meet the demands of the growing global market for safe, wholesome seafood produced in an environmentally and socially responsible manner.



Contact ACC for more information.

AQUACULTURE CERTIFICATION COUNCIL, INC.

706 North Suncoast Boulevard • Crystal River, Florida USA 34429
P.O. Box 2530 • Crystal River, Florida USA 34423
Phone: +1-352-563-0565 • Fax: +1-425-650-3001
Web: www.aquaculturecertification.org
E-mail: aquacert@tampabay.rr.com

Psychologically, the public seems to more easily accept the use of lake or river water, which can be higher in contaminants than processed wastewater effluent, for fish culture. Public perceptions of processed wastewater often center on the belief that it is contaminated with heavy metals, organochlorines and pesticides, and therefore not suitable for reuse.

However, biomonitoring is an integral part of wastewater facilities as required by law to not allow the release of problematic substances back to the environment via effluents. Hence, ongoing biomonitoring will be conducted at phase I, phase II and after one year on fish released into growout ponds and reservoirs to satisfy potential consumers.

Growing Results

As a result of this project and ongoing research, several municipalities in the region have decommissioned plants that will not have to be demolished and are working on developing them into aquaculture facilities. Other species such as hybrid striped bass are being tested under similar conditions. Further, the large supply of stocker paddlefish produced have permitted over 40,000 phase II fish to be stocked in over 800 ha of water supply reservoirs in Kentucky for long-term growout of mature fish for the caviar industry.

Editor's Note: A video production on the project entitled "Cleaning Water ... Growing Fish" is available on YouTube.



PROMARISCO

A passion for shrimp!

Experience all natural and delicious white Ecuadorian Shrimp

For more than twenty five years, Promarisco has been a leader in the Ecuadorian shrimp market. Now as part of Grupo Pescanova, with headquarters in Spain and commercial offices and representatives around the world, Promarisco is committed to maintain the leading edge in white shrimp aquaculture and continue delivering customers premium quality shrimp at competitive prices.

Some of our Key Strengths include:

- Vertically integrated aquaculture facilities with all year round production.
- Wide range of counts and sizes of whole shrimp and headless shell-on.
- Extensive expertise in production of value added shrimp products.
- Highly certified operations with ACC, HACCP, ISO 22,000 and BRC standards.

Phone: +593 4 281 2307 • Fax: +593 4 280 1167 • Email: ventas1@promarisco.com • www.promarisco.com

